

Data sheet title	Denomination	Number
<b>Information</b>		
Table of contents		1.0-10
Mounting interfaces		1.0-30
Drafting standards		1.0-40
Recommended hydraulic fluids/Filtering		1.0-50
Information mounting screws		1.0-60
Ambient temperature		1.0-70
Explanations hydraulic valves		1.0-100
<b>Solenoids/Manual override</b>		
Solenoid normal square 29	SIN29V	1.1-80
Solenoid super square 29	SIS29V	1.1-85
Proportional solenoid square 29	PI29V	1.1-90
Solenoid economy square 35	BEIIV	1.1-100
Solenoid normal square 35	SIN35V	1.1-105
Solenoid super square 35	SIS35V	1.1-110
Proportional solenoid square 35	PI35V	1.1-115
Proportional solenoid square 35 «pull-type solenoid» (inverse function)	PI35V-M152	1.1-117
Solenoid normal square 45	SIN45V	1.1-120
Solenoid normal double execution corr. square 45	SIN45DV-M40	1.1-122
Solenoid super square 45	SIS45V	1.1-125
Solenoid super double execution corr. square 45	SIS45DV-M40	1.1-127
Proportional solenoid square 45	PI45V	1.1-130
Proportional solenoid square 45 with special «interface»	PI45V-M40	1.1-135
Solenoid normal square 60	SIN60V	1.1-145
Solenoid super square 60	SIS60V	1.1-150
Proportional solenoid square 60	PI60V	1.1-155
Solenoid coil square 35 steel execution	M.35/16	1.1-170
Solenoid coil square 35 steel execution	M.35/16x40	1.1-171
Solenoid coil 35 mm plastic execution	K.35/16	1.1-172
Solenoid coil 37 mm steel execution	W.37/19x50	1.1-173
Solenoid coil square 35 steel execution	M.35/19x50	1.1-174
Solenoid coil 45 mm steel execution	W.45/23x50	1.1-180
Solenoid coil square 45 Ex d II C - type	MKY45/18x60	1.1-183
Solenoid coil square 45 Ex ia II C - type	M.Z45-100	1.1-185
Solenoids with special electric connection	...-M...	1.1-201
Solenoid with pressure compensation	...-M35	1.1-240
Plugs with or without integrated manual override	HB0; HB4,5-8,5	1.1-300
Manual overrides with spring return or combined with spring return and detent	H1-Hxx	1.1-310
Performance reducing plug	P03	1.1-320
Explanation switching solenoids		1.1-400
Explanation proportional solenoids		1.1-410
Duty factor		1.1-430
Installation instruction for DC solenoids with rectifier in connector		1.1-440
<b>Solenoid operated spool valves direct operated</b>		
Overview		1.2-05
Solenoid operated spool valve NG3-Mini	BM4x3	1.2-26
Solenoid operated spool valve NG4-Mini	B.4x4	1.2-31
Solenoid operated spool valve NG4	WD.FB04	1.2-51
Solenoid operated spool valve NG6	WD.FA06	1.2-55
Solenoid operated spool valve NG10	A.4x10	1.2-71

Data sheet title	Denomination	Number
<b>Solenoid operated spool valves direct operated explosion proof</b>		
Explosion proof solenoid operated spool valve EEx em II NG4-Mini	BEX4x4-S1788	1.3-21
Explosion proof solenoid operated spool valve EEx d II C NG4-Mini	BEXd4x4-S1788	1.3-22
Explosion proof solenoid operated spool valve Ex d II C NG4	BEXd4x4	1.3-23
Explosion proof solenoid operated spool valve EEx em II NG6	AEX4x6-S1788	1.3-31
Explosion proof solenoid operated spool valve EEx d II C NG6	AEXd4x6-S1788	1.3-32
Explosion proof solenoid operated spool valve Ex d II C NG6	AEXd4x6	1.3-33
Explosion proof solenoid operated spool valve Ex ia II C NG6	AEXi4x6-100/T6	1.3-40
<b>Solenoid operated spool valves direct operated soft switching</b>		
Solenoid operated spool valve soft switching NG4-Mini	B.W4x4	1.4-11
Solenoid operated spool valve soft switching NG6	A.W4x6	1.4-30
Solenoid operated spool valve soft switching NG10	A.W4x10	1.4-40
<b>Spool valves direct operated hand operation/mechanical operation</b>		
Hand operated or mechanical operation spool valve NG3-Mini	WDH/TFA03	1.5-15
Hand operated or mechanical operation spool valve NG4-Mini	BH/T4x4	1.5-20
Hand operated or mechanical operation spool valve NG6	AH/T4x6	1.5-40
Hand operated or mechanical operation spool valve NG10	AH/T4x10	1.5-50
<b>Spool valves direct operated pneumatic operation</b>		
Pneumatically operated spool valve NG3-Mini	WDLFA03	1.6-15
Pneumatically operated spool valve NG4-Mini	BK4x4	1.6-20
Pneumatically operated spool valve NG6	AK4x6	1.6-30
Pneumatically operated spool valve NG10	AK4x10	1.6-40
<b>Spool valves direct operated hydraulic operation</b>		
Hydraulic operated spool valve NG3-Mini	WDDFA03	1.7-15
Hydraulic operated spool valve NG4-Mini	BP4x4	1.7-20
Hydraulic operated spool valve NG6	AP4x6	1.7-30
Hydraulic operated spool valve NG10	AP4x10	1.7-40
<b>Spool valves integral pressure reversal</b>		
Integral pressure reversal operated spool valve NG6	AQ4Z60	1.8-20
Integral pressure reversal operated spool valve NG10	AQ4Z100	1.8-40
<b>Spool valves pilot operated</b>		
Spool valve pilot operated NG10 (Solenoid-, manually- and pneumatically operated)	A.VP4x10	1.9-31
Solenoid operated spool valve pilot operated explosion proof EEx em II NG10	AEXVP4x10-S1788	1.9-35
Solenoid operated spool valve pilot operated explosion proof EEx d II C NG10	AEXdVP4x10-S1788	1.9-36
Solenoid operated spool valve pilot operated explosion proof Ex d II C NG10	AEXdVP4x10	1.9-37
<b>Proportional spool valves</b>		
Overview		1.10-04
Proportional spool valve pressure compensated NG4-Mini	VWS4x4	1.10-06
Proportional spool valve pressure compensated NG6	VWS4x6	1.10-11
Proportional spool valve pressure compensated NG10	VWS4x10	1.10-20
Proportional spool valve NG3-Mini	WDPFA03	1.10-65
Proportional spool valve NG4-Mini	BPW4x4	1.10-71
Proportional spool valve NG4-Mini (integrated electronics)	BVW4x4	1.10-72
Proportional spool valve NG6	WDPFA06	1.10-75
Proportional spool valve NG6 (integrated electronics)	WDVFA06	1.10-80
Proportional spool valve NG6 (integrated electronics and LVDT)	WDRFA06	1.10-82
Proportional spool valve explosion proof EEx em II NG6	WDCFA06	1.10-85
Proportional spool valve explosion proof EEx d II C NG6	WDBFA06	1.10-86
Proportional spool valve explosion proof Ex d II C NG6	WDBFA06	1.10-87
Proportional spool valve NG10	APW4x10	1.10-90
Proportional spool valve pilot operated NG10	AVPW4x10	1.10-95

Data sheet title	Denomination	Number
<b>Poppet valves</b>		
Overview solenoid operated poppet valves		1.11-2005
Solenoid poppet valve cartridge (NG3) normally closed	.2203	1.11-2010
Solenoid poppet valve cartridge (NG3) normally open	.2203-S1265	1.11-2015
Solenoid poppet valve cartridge (NG4) normally closed	.2204	1.11-2020
Solenoid poppet valve cartridge (NG4) normally open	.2204-S1265	1.11-2025
Solenoid poppet valve cartridge (NG6) normally closed	.2206	1.11-2030
Solenoid poppet valve cartridge (NG6) normally open	.2206-S1265	1.11-2035
Solenoid poppet valve cartridge (NG10) normally closed	.2210	1.11-2040
Solenoid poppet valve cartridge (NG10) normally open	.2210-S1265	1.11-2045
Solenoid poppet valve cartridge direct operated M18	SDSPM18	1.11-2050
Solenoid poppet valve cartridge direct operated M22	SDSPM22	1.11-2060
Solenoid poppet valve cartridge direct operated explosion proof EEx em II M22	SDXPM22	1.11.2062
Solenoid poppet valve cartridge direct operated explosion proof EEx d II C M22	SDYPM22	1.11.2063
Solenoid poppet valve cartridge direct operated explosion proof Ex d II C M22	SDYPM22	1.11-2064
Solenoid poppet valve cartridge pilot operated M22	SVSPM22	1.11-2065
Solenoid poppet valve cartridge pilot operated explosion proof EEx em II M22	SVXPM22	1.11-2067
Solenoid poppet valve cartridge pilot operated explosion proof EEx d II C M22	SVYPM22	1.11-2068
Solenoid poppet valve cartridge pilot operated explosion proof Ex d II C M22	SVYPM22	1.11-2069
Solenoid poppet valve cartridge pilot operated M33	SVSPM33	1.11-2075
Solenoid poppet valve cartridge pilot operated explosion proof EEx em II M33	SVXPM33	1.11-2077
Solenoid poppet valve cartridge pilot operated explosion proof EEx d II C M33	SVYPM33	1.11-2078
Solenoid poppet valve cartridge pilot operated explosion proof Ex d II C M33	SVYPM33	1.11-2079
Solenoid poppet valve cartridge pilot operated M18	SVSPM18–BC/CB	1.11-2080
Solenoid poppet valve cartridge pilot operated M20	SVSPM20–BC/CB	1.11-2081
Solenoid poppet valve cartridge pilot operated M22	SVSPM22–BC/CB	1.11-2082
Solenoid poppet valve cartridge pilot operated 3/4"	SVSPU34–BC/CB	1.11-2083
Solenoid poppet valve flange construction NG3-Mini	B.2203	1.11-2100
Solenoid poppet valve flange construction NG4-Mini	B.2204	1.11-2120
Solenoid poppet valve flange construction NG6	A.2206	1.11-2140
Solenoid poppet valve flange construction NG6 (double execution)	A.4306	1.11-2150
Solenoid poppet valve flange construction NG10	A.2210	1.11-2160
Solenoid poppet valve sandwich construction NG3-Mini	Z.2203	1.11-2500
Solenoid poppet valve sandwich construction NG4-Mini	Z.2204	1.11-2520
Solenoid poppet valve sandwich construction NG6	Z.2206	1.11-2540
Solenoid poppet valve sandwich construction NG10	Z.2210	1.11-2560
Solenoid poppet valves installation in pipes (NG4)	G.2204	1.11-2820
Solenoid poppet valves installation in pipes (NG6)	G.2206	1.11-2840
Solenoid poppet valves installation in pipes (NG10)	G.2210	1.11-2860
Solenoid poppet valves explosion proof flange construction EEx em II NG4-Mini	BEX2204–S1788	1.11-3130
Solenoid poppet valves explosion proof flange construction EEx d II C NG4-Mini	BEXd2204–S1788	1.11-3131
Solenoid poppet valves explosion proof flange construction Ex d II C NG4-Mini	BEXd2204	1.11-3132
Solenoid poppet valves explosion proof flange construction EEx em II NG6	AEX2206–S1788	1.11-3141
Solenoid poppet valves explosion proof flange construction EEx d II C NG6	AEXd2206–S1788	1.11-3142
Solenoid poppet valves explosion proof flange construction Ex d II C NG6	AEXd2206	1.11-3143
Overview manually operated poppet valves		1.11-5005
Poppet valves manually operated flange construction NG4-Mini	BH2204	1.11-5120
Poppet valves manually operated flange construction NG6	AH2206	1.11-5140
Poppet valves manually operated flange construction NG10	AH2210	1.11-5160
Overview pneumatically operated poppet valves		1.11-6005
Poppet valves pneumatically operated flange construction NG4-Mini	BK2204	1.11-6120
Poppet valves pneumatically operated flange construction NG6	AK2206	1.11-6140
Poppet valves pneumatically operated flange construction NG10	AK2210	1.11-6160
Solenoid poppet valves with positive switching overlap NG6	A.3206-S1779	1.11-10010
Info: Orifice disc for poppet valves		1.11-11010

Data sheet title	Denomination	Number
<b>2-way cartridge valves</b>		
2-way cartridge valves NG16	C.16	1.12-210
2-way cartridge valves NG25	C.25	1.12-220
2-way cartridge valves NG32	C.32	1.12-230
2-way cartridge valves NG40	C.40	1.12-240
Cover for directional functions for 2 position, 2-way cartridge valve NG16	D16	1.12-405
Cover for directional functions for 2 position, 2-way cartridge valve NG25	D25	1.12-410
Cover for directional functions for 2 position, 2-way cartridge valve NG32	D32	1.12-415
Cover for directional functions for 2 position, 2-way cartridge valve NG40	D40	1.12-420
Cover for pressure functions for 2 position, 2-way cartridge valve NG16	D16	1.12-425
Cover for pressure functions for 2 position, 2-way cartridge valve NG25	D25	1.12-430
Cover for pressure functions for 2 position, 2-way cartridge valve NG32	D32	1.12-435
Cover for pressure functions for 2 position, 2-way cartridge valve NG40	D40	1.12-440
Cover for check functions for 2 position, 2-way cartridge valve NG16	D16	1.12-445
Cover for check functions for 2 position, 2-way cartridge valve NG25	D25	1.12-450
Cover for check functions for 2 position, 2-way cartridge valve NG32	D32	1.12-455
Cover for check functions for 2 position, 2-way cartridge valve NG40	D40	1.12-460
2-way cartridge valve body	K...	1.12-505
<b>Electronics and electro-accessories for proportional valves</b>		
Overview		1.13-05
Amplifier for direct assembly on the valve	P02	1.13-62
Integrated electronics amplifier and controller	DSV	1.13-75
Digital amplifier modul	SD6	1.13.100
Digital controller modul	SD6	1.13.105
Amplifier in Eurocard format	E05	1.13-135
Amplifier in Eurocard format	ED1	1.13-165
Digital 2-axis controller with integrated amplifier	ED2	1.13-166
Digital amplifier/controller card	SD1	1.13-180
Digital amplifier- and controller electronics	MD2	1.13-240
Multi-pin sockets	Z04	1.13-550
Plug-in cardholder	Z05	1.13-555

Data sheet title	Denomination	Number
<b>Information</b>		
Info screw-in cartridges		2.0-20
Cover for screw-in cartridges		2.0-50
<b>Pressure relief-, Backpressure-, Pressure sequence-, Accumulator unloading valves</b>		
Overview		2.1-502
Pressure relief cartridge pilot operated M18	BV.PM18	2.1-510
Pressure relief cartridge direct operated M18	BS.PM18	2.1-520
Pressure relief cartridge pilot operated M22	BV.PM22	2.1-530
Safety valve pilot operated M22	BVTPM22	2.1-532
Pressure relief cartridge pilot operated hydraulically vented M22	BV.PM22-Z9	2.1-534
Pressure relief cartridge pilot operated electrically vented M22	BVEPM22	2.1-536
Pressure relief cartridge direct operated M22	BA.PM22	2.1-540
Pressure relief cartridge direct operated M22	BK.PM22	2.1-542
Pressure relief cartridge direct operated M22	BX/BY.PM22	2.1-544
Pressure sequence cartridge pilot operated M22	FV.PM22	2.1-546
Accumulator unloading cartridge pilot operated M22	US.PM22	2.1-548
Pressure relief flange and sandwich constr. pilot/direct operated NG3-Mini	B../FA03	2.1-600
Pressure relief flange and sandwich constr. pilot/direct operated NG4-Mini	B../FA04	2.1-620
Pressure relief flange and sandwich constr. pilot/direct operated NG6	B../FA06	2.1-640
Pressure relief flange and sandwich constr. pilot/direct operated NG10	B../FA10	2.1-660
Backpressure valve sandwich construction pilot operated NG3-Mini	G../SA03	2.1-700
Backpressure valve sandwich construction pilot operated NG4-Mini	G../SA04	2.1-720
Backpressure valve sandwich construction pilot operated NG6	G../SA06	2.1-740
Backpressure valve sandwich construction pilot operated NG10	G../SA10	2.1-760
Pressure sequence valve sandwich construction pilot operated NG4-Mini	FV.SA04	2.1-820
Pressure sequence valve sandwich construction pilot operated NG6	FV.SA06	2.1-840
Pressure sequence valve sandwich construction pilot operated NG10	FV.SA10	2.1-860
Accumulator unloading valve sandwich constr. with 1-point adjustment NG4-Mini	US.SA04	2.1-920
Accumulator unloading valve sandwich constr. with 1-point adjustment NG6	US.SA06	2.1-940
Accumulator unloading valve with 2 adjustable shifting points NG6	ASPLV62	2.1-950
Accumulator unloading valve sandwich constr. with 1-point adjustment NG10	US.SA10	2.1-960
Accumulator unloading valve with 2 adjustable shifting points NG10	ASPLV102	2.1-970
<b>Pressure reducing valves</b>		
Overview		2.2-502
Pressure reducing cartridge pilot operated M18	MV.PM18	2.2-510
Pressure reducing cartridge pilot operated M22	MV.PM22	2.2-530
Pressure reducing cartridge pilot operated electrically vented M22	MVEPM22	2.2-536
Pressure reducing flange and sandwich constr. pilot operated NG3-Mini	MV.S/FA03	2.2-600
Pressure reducing flange and sandwich constr. direct operated NG3-Mini	MD.S/FA03	2.2-605
Pressure reducing flange and sandwich constr. pilot operated NG4-Mini	MV.S/FA04	2.2-620
Pressure reducing flange and sandwich constr. direct operated NG4-Mini	BDRVd.4	2.2-630
Pressure reducing flange and sandwich constr. pilot operated NG6	MV.S/FA06	2.2-640
Pressure reducing flange and sandwich constr. direct operated NG6	ADRVd.6	2.2-650
Pressure reducing flange and sandwich constr. pilot operated NG10	MV.S/FA10	2.2-660
Pressure reducing flange and sandwich constr. direct operated NG10	ADRVd.10	2.2-670

Data sheet title	Denomination	Number
<b>Proportional pressure relief-, pressure reducing valves</b>		
Overview		2.3-502
Prop. pressure relief cartridge pilot operated M18	BVPPM18	2.3-510
Prop. pressure relief cartridge direct operated M18	BDPPM18	2.3-520
Prop. pressure relief cartridge pilot operated M22 (slip-on coil)	BVPPM22	2.3-529
Prop. pressure relief cartridge pilot operated M22	BVPPM22	2.3-530
Prop. pressure relief cartridge pilot operated M22 (integrated electronics)	BVVPM22	2.3-531
Prop. pressure relief cartridge inverse pilot operated M22	BVIPM22	2.3-532
Prop. pressure relief cartridge pilot operated explosion proof EEx em II M22	BVCPM22	2.3-534
Prop. pressure relief cartridge pilot operated explosion proof EEx d II C M22	BVBPM22	2.3-535
Prop. pressure relief cartridge direct operated M22 (slip-on coil)	BDPPM22	2.3-539
Prop. pressure relief cartridge direct operated M22	BDPPM22	2.3-540
Prop. pressure relief cartridge direct operated M22	BDVPM22	2.3-541
Prop. pressure relief cartridge inverse direct operated M22	BDIPM22	2.3-542
Prop. pressure relief cartridge inverse direct operated M22 (integrated electronics)	BDWPM22	2.3-543
Prop. pressure relief cartridge direct operated explosion proof EEx em II M22	BDCPM22	2.3-544
Prop. pressure relief cartridge direct operated explosion proof EEx d II C M22	BDBPM22	2.3-545
Prop. pressure relief cartridge direct operated explosion proof Ex d II C M22	BDBPM22	2.3-546
Prop. pressure relief cartridge pilot operated M33 (slip-on coil)	BVPPM33	2.3-551
Prop. pressure relief cartridge pilot operated M33 (integrated electronics)	BVVPM33	2.3-552
Prop. pressure reducing cartridge pilot operated M18	MVPPM18	2.3-610
Prop. pressure reducing cartridge pilot operated M22 (slip-on coil)	MVPPM22	2.3-629
Prop. pressure reducing cartridge pilot operated M22	MVPPM22	2.3-630
Prop. pressure reducing cartridge pilot operated M22 (integrated electronics)	MVVPM22	2.3-631
Prop. pressure reducing cartridge pilot operated explosion proof EEx em II M22	MVCPM22	2.3-634
Prop. pressure reducing cartridge pilot operated M22	MQPPM22	2.3-640
Prop. pressure reducing cartridge pilot operated (integrated electronics)	MQVPM22	2.3-642
Prop. pressure reducing cartridge pilot operated M33 (slip-on coil)	MVPPM33	2.3-649
Prop. pressure reducing cartridge pilot operated M33	MVPPM33	2.3-650
Prop. pressure reducing cartridge pilot operated M33 (integrated electronics)	MVVPM33	2.3-651
Prop. pressure reducing cartridge direct operated	MDPPR11	2.3-671
Prop. pressure relief valve flange and sandwich constr. NG3-Mini	B.P.A03	2.3-700
Prop. pressure relief valve flange and sandwich constr. NG4-Mini	B.P.A04	2.3-720
Prop. pressure relief valve flange and sandwich constr. NG6	B.P.A06	2.3-740
Prop. pressure relief valve flange and sandwich constr. NG10	B.P.A10	2.3-760
Prop. pressure reducing valve flange and sandwich constr. NG3-Mini	MVP.A03	2.3-800
Prop. pressure reducing valve flange and sandwich constr. NG4-Mini	MVP.A04	2.3-820
Prop. pressure reducing valve flange and sandwich constr. NG6	MVP.A06	2.3-840
Prop. pressure reducing valve flange and sandwich constr. NG10	MVP.A10	2.3-860
<b>Throttle valves, Restrictor valves with reverse free flow</b>		
Overview		2.4-502
Throttle cartridge M18	DN.PM18	2.4-510
Restrictor cartridge with reverse free flow M18	DR.PM18	2.4-610
Throttle valve sandwich construction NG3-Mini	DN.SA03	2.4-700
Throttle valve sandwich construction NG4-Mini	BDR..4	2.4-730
Throttle valve sandwich construction NG6	ADR..6	2.4-750
Throttle valve sandwich construction NG10	ADR..10	2.4-770
Restrictor valve with reverse free flow sandwich construction NG3-Mini	DR.SA04	2.4-800
Restrictor valve with reverse free flow sandwich construction NG4-Mini	BURD4	2.4-835
Restrictor valve with reverse free flow sandwich construction NG6	AURD6	2.4-850
Restrictor valve with reverse free flow sandwich construction NG10	AURD10	2.4-870

Data sheet title	Denomination	Number
<b>Flow control-, Pressure compensating-, Fast approaches/fine feed valves</b>		
Overview		2.5-502
2-way flow control cartridge M18	QA.PM18	2.5-510
2-way flow control cartridge M22	QRSPM22	2.5-530
2-way flow control cartridge M22	QZ.PM22	2.5-535
3-way flow control cartridge M22	QD.PM22	2.5-540
2-way flow control cartridge M33	QZ.PM33	2.5-550
3-way flow control cartridge M33	QD.PM33	2.5-555
2-way flow control cartridge M33	MR1002	2.5-587
Pressure compensator cartridge M22	U.FPM22	2.5-630
Pressure compensator cartridge M33	U.FPM33	2.5-650
2-way flow control valve sandwich construction NG3-Mini	QA.SA03	2.5-700
2-way flow control valve flange and sandwich construction NG4-Mini	QZ.SA04	2.5-720
2-way flow control valve flange and sandwich construction NG6	QZ.SA06	2.5-740
3-way flow control valve flange and sandwich construction NG6	QD.SA06	2.5-742
2-way flow control valve flange and sandwich construction NG10	QZ.SA10	2.5-760
3-way flow control valve flange and sandwich construction NG10	QD.SA10	2.5-762
Pressure compensator valve sandwich construction NG4-Mini	U.SA04	2.5-820
Pressure compensator valve sandwich construction NG6	U.SA06	2.5-840
Pressure compensator valve sandwich construction NG10	U.SA10	2.5-860
Fast approaches/fine feed valve sandwich construction NG4-Mini	VQ.SA04	2.5-920
Fast approaches/fine feed valve sandwich construction NG6	VQ.SA06	2.5-940
Fast approaches/fine feed valve sandwich construction NG10	VQ.SA10	2.5-960
<b>Proportional throttle valves, Flow control valves</b>		
Overview		2.6-502
Proportional throttle cartridge M18	D.PPM18	2.6-510
Proportional throttle cartridge M22	D.PPM22	2.6-530
Proportional throttle cartridge M22 (integrated electronics)	DNVPM22	2.6-540
Proportional throttle cartridge M33	DNPPM33	2.6-550
Proportional throttle cartridge M33 (slip-on coil)	DNPPM33	2.6-551
Proportional throttle cartridge M33 (integrated electronics)	DNVPM33	2.6-560
Proportional 2-way flow control cartridge M18	QZPPM18	2.6-610
Proportional 2-way flow control cartridge M22	QNPPM22	2.6-630
Proportional 2-way flow control cartridge M22	QNPPM22	2.6-631
Proportional 2-way flow control cartridge M22 (integrated electronics)	QNVPM22	2.6-632
Proportional 3-way flow control cartridge M22	QDPPM22	2.6-644
Proportional 3-way flow control cartridge M22	QDPPM22	2.6-645
Proportional 3-way flow control cartridge M22 (integrated electronics)	QDVPM22	2.6-646
Proportional 2-way flow control cartridge M33	QNPPM33	2.6-650
Proportional 2-way flow control cartridge M33 (slip-on coil)	QNPPM33	2.6-651
Proportional 2-way flow control cartridge M33 (integrated electronics)	QNVPM33	2.6-660
Proportional 2-way flow control cartridge M33 (All-In-One) (slip-on coil)	QSPPM33	2.6-661
Proportional 3-way flow control cartridge M33	QDPPM33	2.6-665
Proportional 3-way flow control cartridge M33 (slip-on coil)	QDPPM33	2.6-666
Proportional 3-way flow control cartridge M33 (integrated electronics)	QDVPM33	2.6-667
Proportional throttle valve sandwich construction NG3-Mini	D.PSA03	2.6-700
Proportional throttle valve flange and sandwich construction NG4-Mini	D.PSA04	2.6-720
Proportional throttle valve flange and sandwich construction NG6	D.PSA06	2.6-740
Proportional throttle valve flange and sandwich construction NG10	DNPSA10	2.6-760
Prop. 2-way flow control valve flange and sandwich construction NG4-Mini	QNP.A04	2.6-820
Prop. 2-way flow control valve flange and sandwich construction NG6	QNP.A06	2.6-840
Prop. 3-way flow control valve flange and sandwich construction NG6	QDP.A06	2.6-842
Prop. 2-way flow control valve flange and sandwich construction NG10	QNP.A10	2.6-860
Prop. 3-way flow control valve flange and sandwich construction NG10	QDP.A10	2.6-862

Data sheet title	Denomination	Number
<b>Non-return valves, Pilot operated non return valves, Shuttle valves, Pipe failure valves, Drain valves, 3-way shifting valves</b>		
Overview		2.7-05
Non-return valve sandwich construction NG3-Mini	RNNSA03	2.7-15
Non-return valve sandwich construction NG4-Mini	BRV..4	2.7-20
Non-return valve sandwich construction NG6	RNNSA06	2.7-41
Non-return valve sandwich construction NG10	ARV..10	2.7-50
Non-return valve pilot operated M33	RNXPM33	2.7-62
Non-return valve pilot operated sandwich construction NG3-Mini	BDERV3	2.7-65
Non-return valve pilot operated sandwich construction NG4-Mini	BDERV4	2.7-70
Non-return valve pilot operated sandwich construction NG4	RNXSB04	2.7-72
Non-return valve pilot operated sandwich construction NG6	ADERV6	2.7-90
Non-return valve pilot operated sandwich construction NG10	ADERV10	2.7-100
Shuttle valve for installation in pipes (NG6)	WRV638	2.7-120
Pipe failure valve for installation in pipes (NG6)	RBS.638	2.7-130
Pipe failure valve for installation in pipes (NG10)	RBS.1012	2.7-140
Drain valve sandwich construction NG4-Mini	BAH.4	2.7-150
Drain valve sandwich construction NG6	AAH.6	2.7-160
Drain valve sandwich construction NG10	AAH.10	2.7-170
3-way shifting valve screw-in cartridge G1/2"	DWW404	2.7-180
<b>Threaded subplates</b>		
Threaded subplates for valves NG3-Mini	BG3S	2.9-05
Threaded subplates for valves NG4-Mini	BG4.	2.9-10
Threaded subplates for valves NG4	AGSB04	2.9-12
Threaded subplates for valves NG6	AG6.	2.9-30
Threaded subplates for valves NG10	AG10.	2.9-40
Multi-station subplates for valves NG3-Mini	B3/..	2.9-45
Multi-station subplates for valves NG4-Mini	B4/..	2.9-50
Multi-station subplates for valves NG6	A6/..	2.9-60
Multi-station subplates for valves NG10	A10/..	2.9-70
Horizontal mounting system NG3-10		2.9-80
Horizontal mounting blocks NG3-Mini	AL.A03	2.9-85
Horizontal mounting blocks NG4-Mini	BLV4..	2.9-90
Horizontal mounting blocks NG6	ALV6..	2.9-100
Horizontal mounting blocks NG10	ALV10..	2.9-110
Module type manifold systems	BB4.	2.9-122
Module type manifold systems	AB6.	2.9-124
Module type manifold systems	AB10.	2.9-126
Line mount body for pressure relief valves	C02/D02	2.9-200
Line mount body for 2-way valves	A01/B01	2.9-205
Line mount body for 3-way valves	F04/G04	2.9-210



Data sheet title	Denomination	Number
<b>Accessories</b>		
Threaded ports sandwich body NG3-Mini		2.10-10
Threaded ports sandwich body NG4-Mini		2.10-20
Threaded ports sandwich body NG6		2.10-30
Threaded ports sandwich body NG10		2.10-40
Blanking-/Linking plates NG3-Mini		2.10-110
Blanking-/Linking plates NG4-Mini		2.10-120
Blanking-/Linking plates NG6		2.10-130
Blanking-/Linking plates NG10		2.10-140
Stack assemblies NG3		2.10-210
Stack assemblies NG4, NG6		2.10-220
Stack assemblies NG10		2.10-240
Sealing-/Intermediate plates NG3-Mini		2.10-310
Sealing-/Intermediate plates NG4-Mini		2.10-320
Sealing-/Intermediate plates NG6		2.10-330
Sealing-/Intermediate plates NG10		2.10-340
<b>Cavities</b>		
Cavity cartridge ISO 7789-18-02-0-98		2.13-1001
Cavity cartridge ISO 7789-18-01-0-98		2.13-1002
Cavity cartridge ISO 7789-22-02-0-98		2.13-1003
Cavity cartridge ISO 7789-22-04-0-98		2.13-1004
Cavity cartridge ISO 7789-33-01-0-98		2.13-1005
Cavity cartridge ISO 7789-22-06-0-98		2.13-1006
Cavity cartridge ISO 7789-22-07-0-98		2.13-1007
Cavity cartridge ISO 7789-22-01-0-98		2.13-1008
Cavity cartridge ISO 7789-33-06-0-98		2.13-1011
Cavity poppet valve cartridge NG3 closed when deenergised		2.13-1012
Cavity poppet valve cartridge NG4 closed when deenergised		2.13-1013
Cavity poppet valve cartridge NG6 closed when deenergised		2.13-1014
Cavity poppet valve cartridge NG10 closed when deenergised		2.13-1015
Cavity poppet valve cartridge NG3 open when deenergised		2.13-1016
Cavity poppet valve cartridge NG4 open when deenergised		2.13-1017
Cavity poppet valve cartridge NG6 open when deenergised		2.13-1018
Cavity poppet valve cartridge NG10 open when deenergised		2.13-1019
Cavity cartridge for MVPPM18		2.13-1020
Cavity cartridge for 2 position, 2-way cartridge valve NG16		2.13-1021
Cavity cartridge for 2 position, 2-way cartridge valve NG25		2.13-1022
Cavity cartridge for 2 position, 2-way cartridge valve NG32		2.13-1023
Cavity cartridge for 2 position, 2-way cartridge valve NG40		2.13-1024
Cavity cartridge for MR1002		2.13-1030
Cavity cartridge for DWW404		2.13-1033
Cavity cartridge for BX/BY.PM22		2.13-1037
Cavity cartridge for QZPPM18		2.13-1038
Cavity cartridge ISO 7789-33-04-0-98		2.13-1040
Cavity cartridge ISO 7789-33-02-0-98		2.13-1041
Cavity cartridge for SVSPM20		2.13-1042
Cavity cartridge for SVSPU34		2.13-1043
Cavity cartridge for MDPR11		2.13-1044

**Notizen/Notes**

Dotted lines for writing.